

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Cardiovascular Diseases Screening	Carotid Ultrasound	To evaluate the patency of carotid artery and risk for cerebrovascular disease	3,500	<ol style="list-style-type: none"> 1. People with hypertension, diabetes or with family history of cardiovascular disease. 2. Over weight and smoker. 3. People with hyperlipidemia. 4. Age over 40 years or older. 5. Subjects with dizzy spells.
	Echocardiography	To evaluate the heart size, valvular abnormalities, congenital heart defects, myocardial infarction, tumor, etc.	3,500	<ol style="list-style-type: none"> 1. People with hypertension or diabetes with family history of cardiovascular disease. 2. Over weight and smoker. 3. People with hyperlipidemia. 4. Age over 40 years or older. 5. Subjects with chest discomfort, chest pain and cardiac arrhythmia.
	Exercise EKG	To evaluate Coronary Arterial Disease and ischemic condition of the heart.	3,500	<ol style="list-style-type: none"> 1. People with chest discomfort, chest pain. 2. Patient of cardiovascular disease. 3. Family history of cardiovascular disease.
	Cardiovascular Screening Device for arterial stiffness and obstruction (CVSD)	To assess arteriosclerosis and check if there is any lower extremity artery disease.	1,500	<ol style="list-style-type: none"> 1. Age over 30 years or older. 2. People with hypertension, stroke, diabetes with family history of cardiovascular disease. 3. Over weight or obesity. 4. Lack of exercise, smoker or excessive pressure.
	Pro-brain Natriuretic Peptide (pro BNP)	To assess left ventricular contractile function, severity of chronic heart failure, and prognosis of coronary heart disease and heart failure.	1,300	<ol style="list-style-type: none"> 1. Suspicion of heart disease. 2. Family history of hypertension and heart disease. 3. Heart disease and function screening.
	Coronary-Artery Calcium Score (CAC)★	<p>It is non-invasive and does not require injection of contrast medium. It can take a few minutes to take a series of fine, high-level images. With ultra-fast computed tomography imaging and reconstruction calculations, the degree of coronary artery calcification of the heart can be understood. The higher the index, the higher the probability of coronary artery stenosis, which can be used to assess the risk of myocardial infarction.</p> <p>※The above-mentioned medical imaging tests are all in cooperation with the medical imaging center of the outside hospital, and the cost of medical imaging examinations will be based on the pricing of the designated medical institution.</p>	7,000	<ol style="list-style-type: none"> 1. Men over 45 years old or women over 55 years old with menopause. 2. Family history of stroke and heart disease. 3. Hypertension, diabetes or hyperlipidemia. 4. With excessive pressure. 5. Over weight and smoker.

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Cardiovascular Diseases Screening	Cerebrovascular MRA★	<p>Anatomical structural examination (cerebrum, cerebellum, brainstem, eyes, nasal cavity, nasopharynx, paranasal sinus, middle ear, inner ear, etc.) and MRI of carotid arteries and intracranial arterie.</p> <p>※The above-mentioned medical imaging tests are all in cooperation with the medical imaging center of the outside hospital, and the cost of medical imaging examinations will be based on the pricing of the designated medical institution.</p>	20,000 (including barium contrast material fee)	<ol style="list-style-type: none"> 1. People with hypertension, diabetes, high level of lipid, and overweight. 2. People above 40 years old who have never done a cerebrovascular MRA examination. 3. People who habitually smoke and drink alcohol. 4. Family history of cardiovascular or cerebrovascular diseases. 5. Unknown reason of dizziness and headache.
	Coronary CT Imaging★	To evaluate the severity of coronary arteriosclerosis, even to make an early prediction of the possibility of coronary heart diseases and coronary stenosis.	25,000	<ol style="list-style-type: none"> 1. People with hypertension, diabetes, high level of lipid, and overweight. 2. Family history of cardiovascular or cerebrovascular disease 3. People above 40 years old and suffering from chest discomfort or chest pain 4. People who habitually smoke and drink alcohol. 5. People who lack of exercise and work at high pressure and intensity.
Gastrointestinal Tract Screening	Gastroscopy under anesthesia	To check whether esophagus, stomach, duodenum have inflammation, erosion, ulcer, polyp or tumor, etc.	6,000	History of gastroesophageal reflux disease, stomach inflammation, dyspepsia, ulcer or polyp disease.
	Colonoscopy under anesthesia	To evaluate if there is colitis, hemorrhoids, polyp, ulcer, tumor or diverticulum.	10,000	<ol style="list-style-type: none"> 1. Colonic tumor screening 2. Unreasonable loose bowel or constipation 3. Unreasonable weight loss. 4. Stool with blood. 5. Family history of colonic or rectal cancer. 6. History of colonic polyps.
	Gastroscopy under anesthesia + Colonoscopy under anesthesia	<p>【Gastroscopy under anesthesia】 To check whether esophagus, stomach, duodenum have inflammation, erosion, ulcer, polyp or tumor, etc.</p> <p>【Colonoscopy under anesthesia】 To evaluate if there is colitis, polyp, tumor, diverticulum, inflammation or hemorrhoids</p>	14,000	<p>【Gastroscopy under anesthesia】 History of gastroesophageal reflux disease, stomach inflammation, dyspepsia, ulcer or polyp disease.</p> <p>【Colonoscopy under anesthesia】</p> <ol style="list-style-type: none"> 1. Colonic tumor screening 2. Unreasonable loose bowel or constipation 3. Unreasonable weight loss. 4. Stool with blood. 5. Family history of colonic or rectal cancer. 6. History of colonic polyps.
※If the last time having E.K.G. is over 3 months, it's necessary to take the test again.(NTD 300 extra fee for E.K.G.)				

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Gastrointestinal Tract Screening	Urea Breath Test (UBT)	To detect H.pylori infection.	1,600	1. Patients of chronic gastritis ,indigestion or peptic ulcer. 2. Check for H.P relapse after a course of therapy.
		※People who haveused antibiotic or gastric acid inhibitors should postpone at least one month for this examination.		
	Pepsinogen	Analyzing pepsinogen in the blood can help understand the secretion function of the gastric mucosa, and whether there is atrophy. It also serves as a risk indicator for gastric cancer.	2,000	Experiencing loss of appetite, indigestion, nausea or hiccupping. ※For those with long-term stomach discomfort, it is recommended to use gastroscopy to help improve the diagnostic effect.
	Low-Residue Diet Pack★	As a meal replacement for the day before. To provide appropriate colonoscopy preparation.	1,000	For those who wish to arrange colonoscopy but do not have enough time for low fiber diet preparation.
Female Screening	Breast Ultrasound	To evaluate if there is tumor or cystic fibroadenoma of the breast.	2,000	1. Palpable breast mass or findings in mammography 2. Family history of breast cancer 3. People who have breast cancer screening or caring about breast cancer
	Breast X-ray	To evaluate if there is any pathological changes in the breast.	2,200	1. Female, over 40. 2. Palpable breast mass or abnormal findings in sonography. 3. Family history of breast cancer. 4. People who have breast cancer screening or caring about breast cancer.
	3D mammography	With this technology, multiple breast images can be captured from various angles in just one shot. The rendering of breast tissue is created more clearly and fully, thus improving the tumor detection rate for women with dense breast tissue. Abnormal shadows representing early-stage cancerous lesions can be detected while the microcalcification of the cancer in situ are recognized.	4,000	1. Female, over 40 2. Palpable breast mass or abnormal findings in sonography. 3. Family history of breast cancer. 4. People who have breast cancer screening or caring about breast cancer.
	Uterus and Ovary Ultrasound(including consultation)	To check if the uterus, and its organ is normal	1,500	1. Irregular menstrual cycle. 2. Postnatal frequency nocturia or urinary tract infection 3. Abnormal vaginalr bleeding, hypermenorrhea or cramp. 4. Lower abdominal distension or mass in lower abdomen lower abdomen 5. Disease history or Family history of uterus or ovary.

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Female Screening	Liquid-based Pap Testing★	Uses special instruments to increase the accuracy of cervical cancer detection.	1,500	<ol style="list-style-type: none"> 1. People who are sexually active individuals or have previous finding of inflammation on pap smear. 2. Family history of cervical cancer. 3. History of HPV(+)
	HPV Genotyping + SurePath Liquid-based Pap smear★	The test can detect more than 10 HPV genotypes. Can increase the screening rate with SurePath Liquid-based Pap smear.	3,000	<ol style="list-style-type: none"> 1. Sexually active individuals or previous finding of inflammation on pap smear. 2. History of HPV(+) 3. Family history of cervical cancer.
	Anti- Mullerian Hormone(AMH) ★	To predict the inventory of ovarian follicle	1,600	Women who want to get pregnant.
Ophthalmology	Optical Coherent Tomography(including Fundus color photo picture)	Macular Degeneration, Retinopathy, Optic neuropathy	3,000	<ol style="list-style-type: none"> 1. People who usually use computers or overuse eyes. 2. People with medium or high myopia or family history of disease.
	Fundus color photo picture	Retinopathy, Optic neuropathy	1,000	<ol style="list-style-type: none"> 1. People who usually use computers, mobile phone or overuse eyes. 2. People with medium or high myopia or family history of disease.
Medical Imaging	Lung CT Scan Imaging★	A non-invasive approach for lung cancer. It is possible to demonstrate the anatomical images of lungs thus facilitating the detection and follow-up investigation of lung cancers.	6,000	<ol style="list-style-type: none"> 1. Family history of lung cancer. 2. Long-term smoker. 3. Expose to soot or dust in work for long time. 4. Cough or sputum with blood frequently. 5. Abnormal findings in X-ray. 6. Patient with previous tuberculosis infection.
	Full-body computed-tomography (CT) tumor scans, with liver enhancement★	Includes MRI examination for eight major areas: head, neck, chest, upper abdominal, pelvic cavity, cervical vertebra, thoracic vertebra, and lumbar vertebra, with liver enhancement to: <ol style="list-style-type: none"> 1. Discover early liver tumors 2. Assess whether the blood vessels in the liver are invaded by tumors 3. Differentiate the types of liver tumors 	49,000 (Including fee for contrast medium)	<ol style="list-style-type: none"> 1. People above 40 who have never done an MRI examination. 2. Family history of cancer. 3. People who habitually smoke, drink alcohol, and/or eat betel nuts. 4. Hepatitis B and C carriers. 5. Abnormal liver function, chronic hepatitis, liver cirrhosis

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Medical Imaging	Tumor Cancer MRI + Cerebrovascular MRA★	Using MRI, a medical imaging technique to examine 8 major body parts and cerebral vessels to check for signs of tumor, cancers and to rule out brain diseases.	69,000 (including barium contrast material fee)	<ol style="list-style-type: none"> 1. People with hypertension, hyperlipidemia, high blood sugar or overweight. 2. People above 40 who have never done an MRI examination. 3. People who habitually smoke, drink alcohol. 4. Family history of cardiovascular disease, cerebrovascular disease or cancer. 5. Unexplained dizziness and headache 6. Hepatitis B and C carriers. 7. Previous check was abnormal.
	<p>※The above-mentioned medical imaging tests are all in cooperation with the medical imaging center of the outside hospital, and the cost of medical imaging examinations will be based on the pricing of the designated medical institution.</p>			
Sleep monitoring	New generation in sleep monitoring by cardiopulmonary coupling(CPC)★	<ol style="list-style-type: none"> 1. Monitoring and recording analysis of relevant important physiological information during sleep. 2. Complete report : Monitoring of poor sleep quality during the night, such as insomnia, light sleep, sleep apnea and other conditions, and doctors recommendation for further treatment. <p> ※ The detector is worn on the chest and can be completed at home. ※ The size of the detector is only 5cm, which is convenient to wear and does not interfere with sleep. ※ The detector is approved by the FDA, CFDA, and TFDA. </p>	5,000	<ol style="list-style-type: none"> 1. Constant lethargy and drowsiness during the day. 2. Snoring 3. Light sleep and dreaming. 4. Poor sleep quality.
Brain Screening	High Resolution Brain MRI for Axonal Brain Age Assessment ★	<p>An new, FDA-approved method that evaluates your brain's biological age; assesses brain aging and predicts dementia risk using non-invasive MRI process without needing a contrast agent.</p> <p>Evaluates axonal brain age of whole brain and across eight cognitive function networks including episodic memory/emotion system, semantic memory system, implicit memory system, working memory system, attention system, language system, somatosensory system, and visual system.</p>	20,000	<ol style="list-style-type: none"> 1. Age above 45 and under 70. 2. Elevated blood sugar, blood pressure, serum lipids, obese, overweight or underweight. 3. Previous history of head trauma, transient ischemic attack, or depression. 4. Heavy smoker and/or excessive alcohol consumption. 5. Sleep disorder. 6. Feeling of cognitive decline compared with previous year. 7. Family history of dementia.

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Brain Screening	High Resolution Brain MRI for Brain Lesion Screening and Axonal Brain Age Assessment ★	<p>An new, FDA-approved method that evaluates your brain's biological age; assesses brain aging and predicts dementia risk using non-invasive MRI process without needing a contrast agent.</p> <p>【Brain Anatomy】 Screens for brain tumors, stokes, hippocampal atrophy, white matter degenerative changes.</p> <p>【Brain Age】 Evaluates brain age of whole brain and across eight cognitive function networks including episodic memory/emotion system, semantic memory system, implicit memory system, working memory system, attention system, language system, somatosensory system, and visual system.</p>	30,000	<ol style="list-style-type: none"> 1. Age above 45 and under 70. 2. Sympoms suspected of brain disorders. 3. Headache or dizziness of unknown causes. 4. Elevated blood sugar,blood pressure, serum lipids, obsese, overweight or underweight. 5. Previous history of head trauma, transient ischemic attack, obesity or depression. 6. Heavy smoker and/or excessive alcohol consumption. 7. Sleep disorder. 8. Feeling of cognitive decline recently. 9. Family history of dementia.
Endocrinology and Metabolism	Vitamin D	To check whether the Vitamin D is sufficient or not	1,200	People who is a regular diner with no exercise habit. Or lack of outdoor activities and sun exposure with osteoporosis problem.
	Thyroid Sonography	For detection of goiter, thyroid cancer, thyroiditis, and assessment of thyroid nodule	1,500	<ol style="list-style-type: none"> 1. Suspicion of thyroid disease. 2. Hypofunction of thyroid. 3. Patients with thyroid nodule. 4. Suspect of Goiter.
	AmCAD-UT® Detection	This is a noninvasive examination using computer-assisted detection technologies to analyze and assess your nodule(s) for presence of suspicious sonographic features, such as micro-calcifications,hypoechoic, blurred margins, etc. The analysis results can help make recommendation for aspiration cytology and follow-up medical procedures.	2,500	<ol style="list-style-type: none"> 1. For people with thyroid nodules diagnosed by thyroid sonography. 2. For people with thyroid nodules want to evaluate the characteristics of the thyroid nodules.
Skeleton System	Bone Mass Measurement(BMD)	To detect bone mineral density of lumbar vertebrae and pelvic joint. Teenagers can understand bone condition and elder can evaluate the lack of bone mineral density.	2,000	<ol style="list-style-type: none"> 1. Near menopause women or men over 45. 2. Low sex hormones. 3. Coffee lover and without regular exercise. 4. People who take steroids. 5. No exercise habit. 6. Underweight, BMI <19 7. Patient with Thyroid or Parathyroid gland.

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Skeleton System	<p>Bone Mass Measurement(BMD+CTx)</p> <p>-BMD: measures the BMD at 2 regions of the body (lumbar spine and pelvic joint)</p> <p>-CTx: measure bone resorption</p>	To evaluate the statistic and dynamic aspects of bone mineral density over the lumbar and pelvic regions.	3,000	<ol style="list-style-type: none"> 1. Near menopause women or men over 45. 2. Low sex hormones. 3. Coffee lover and without regular exercise. 4. People who take steroids. 5. No exercise habit. 6. Underweight, BMI <19 7. Patient with Thyroid or Parathyroid gland.
Mental Health Evaluation	Physical and Mental Evaluationon	Can analyze your present stress condition, anxiety, depression and sleeping quality. Also provide suggestion for you to find ways to relieve pressure.	600	<ol style="list-style-type: none"> 1. Actively taking care of health. 2. Want to enhance healthy lifestyle. 3. Want to improve emotion and energy status.
	Autonomic nervous system analysis (Heart rate variability)	To analyze the influence of autonomic nervous system such as pressure, lifestyle and immune abnormalities.	1,500	People who are under high pressure and have sleeping problem, feel depressed, or exhausted.
Professional consultation	Integrative medicine★	<p>Have one-on-one consultation with integrative medicine doctor who has clinical experience to assist personal medical, nutritional, dietary, and lifestyle adjustment.</p> <p>Based on evidence-based medicine, the doctor intergrate various treatment for decreasing medicine use. The doctor emphasizes detailed healthy evaluation and personalized health care from metabolism, nutrition, organ function and mental health to heal the body fundamentally.</p>	1,500/30 mins	<ol style="list-style-type: none"> 1.Suffering from some disease or uncomfortable condition for a long time but dont have solution to improve. 2.People who have hypertension, hyperlipidemia hyperglycemia, gastrointestinal disorders, menopause, allergy, autoimmune disease, endocrine metabolism imbalance, nutrition disorder, sleeping disorder, child development disorder, overweight, chronic fatigue syndrome/ pain, etc.
	Personalized nutrition clinic★	Based on daily habit and healthy goal to provide health education and and diet suggestion.	2,500	<ol style="list-style-type: none"> 1. Cusotomized for breakfast, lunch and dinner. 2. People who need to lost weight or gain weight. 3.Specific disease nutrition including,: cancer, hypertension, hyperlipidemia, hyperglycemia, kidney disease, gout. 4. Adjust for intestinal tract/constitution, cardiovascular, immunology. 5. Consulting for anti-aging nutrition.

”★ ”Indicate this item is not allow to be discount

There are limit number for optional item check, please book the appointment first.

	Item	Aim	Fee/NT\$	Targeted Patients
Additional Screening	Quantitative evaluation of NASH /NAFLD	A non-invasive method to assess and quantify the degree of liver fibrosis or fatty liver. This can provide a more objective diagnosis compared to traditional liver ultrasound.	2,000	1. with metabolic syndrome 2. with chronic hepatitis B/C 3. with fatty liver, or previously had fatty liver 4. with excessive smoking or drinking habits 5. with family history of liver disease 6. who wish to understand the degree of fatty liver/liver fibrosis
	Nasopharyngeal Endoscopy	To check the nasal cavity, nasopharynx and larynx for tumor.	1,500	1. Family history of nasopharyngeal CA. 2. Strong gag reflex. 3. Frequent nasal bleeding. 4. Unilateral Sense of aural fullness. 5. Lump(s) in the neck.
	Cyfra 21-1 Lung cancer tumor marker	An index for Non-Small Cell Lung Cancer	800	1. Family history of lung cancer. 2. Long-term smoker. 3. Exposure to oil fume and dust for a long time. 4. Chronic cough or have sputum cruentum. 5. Suspicion of X-ray check result.

Remarks:

1. The schedule and fee may be changed from time to time by Lianan Wellness Center without prior notice. Please call to reconfirm during your booking.
2. All screening of medical imaging are cooperate with the medical imaging center.
3. If there should be any question, you can obtain related information from our website or call to contact us.

Linana Wellness Center

B2, No.16, Sec.4, Nanjing E. Rd., Songshan District, Taipei City, Taiwan (R.O.C.)

Tel: : (02)2570-2155 Ext.2 Fax : (02)2712-8050 Website : www.lianan.com.tw E-mail : service@lianan.com.tw