

* * * Indicate this item is not allow to be discount

There are limit number for optional item, please booking first.

	Item	Aim	Fee/NT\$	Targeted Patients
Ophthalmology	1.Optical Coherent Tomography(including Fundus color photo picture)	Macular Degeneration optic neuropathy	3,000	1. people who long-term use of computers, or excessive use of the eye. 2. people with medium or high myopia. 3. people with related family history.
	2.Fundus color photo picture	Retinopathy optic neuropathy	1,000	1. people who long-term use of computers, or excessive use of the eye. 2. people with medium or high myopia. 3. people with related family history.
Cardiovascular Diseases Screening	3. Carotid Ultrasound	To evaluate the patency of carotid artery and risk for cerebrovascular disease	3,000	1. People with hypertension or diabetes 2. Family history of cardiovascular disease 3. Over weight and smoker 4. People with hyperlipidemia 5. Age over 40 years or older 6. Subjects with dizzy spells
	4. Echocardiography	To evaluate the heart size, valvular abnormalities , congenital heart defects, myocardial infarction, tumor, etc.	3,500	1. People with hypertension and Diabetes 2. Family history of cardiovascular disease 3. Over weight and smoker 4. People with hyperlipidemia 5. Age over 40 years old 6. People with chest discomfort, chest pain 7. People with cardiac arrhythmia
	5. Exercise EKG	To evaluate Coronary Arterial Disease and ischemic condition of the heart.	2,800	1. People with chest discomfort, chest pain 2. Patient of cardiovascular disease 3. Family history of cardiovascular disease
	6. Pro-brain Natriuretic Peptide (pro BNP)	To assess left ventricular contractile function, severity of chronic heart failure, and prognosis of coronary heart disease and heart failure.	1,300	1. Suspicion of heart disease 2. Family history of hypertension and heart disease 3. Heart disease and function screening.
	7. Cerebrovascular MRI*	Anatomical structural examination (cerebrum, cerebellum, brainstem, eyes, nasal cavity, nasopharynx, paranasal sinus, middle ear, inner ear, etc.) and MRI of carotid arteries and intracranial arterie.	18000 (including barium contrast material fee)	1.People with Hypertension, Diabetes, high level of lipid, and over-weight. 2. People above 40 years old who have never done a cerebrovascular MRI examination. 3. People who habitually smoke and drink alcohol. 4. Family history of cardiovascular or cerebrovascular diseases. 5. Unknown reason of dizziness and headaches.
	8. Coronary CT Imaging *	To evaluate the severity of coronary arteriosclerosis, even to make an early prediction of the possibility of coronary heart diseases and coronary stenosis.	25,000	1. People with Hypertension, Diabetes, high level of lipid, and over-weight. 2. Family history of cardiovascular or cerebrovascular disease 3. People above 40 years old and suffering from chest discomfort or chest pain 4. People who habitually smoke and drink alcohol. 5. People who lack of exercise and work at high pressure.
	9.CVSD(Cardiovascular Screening Device)	To assess atherosclerotic disease risk.	1,500	1. Age over 30 2. Family history of hypertension, Diabetes, Stroke, or cardiovascular disease 3. Adiposity 4. Smoker 5. High level of lipid 6. People who lack of exercise 7. People who work at high pressure.
Gastrointestinal Tract Screening	10.Anesthesia extra fee *	For gastroscopic and colonoscopic exam under anesthesia.	5,000	1. For people desiring painless invasive exam 2. Strong gag reflex ※ If the last time having E.K.G. is over 3 months, it's necessary to take the test again.(300NTD extra fee for E.K.G.)
	11.Colonoscopy under anesthesia	To evaluate if there is colitis, hemorrhoids, polyp, ulcer, tumor, diverticulum.	Original fee 9,000 ※Special offer of 7,000 with package A	1. Colonic tumor screening 2. Unreasonable loose bowel or constipation 3. Unreasonable losing weight 4. Stool with blood 5. Family history of colonic or rectal cancer 6. History of colonic polyps ※If the last time having E.K.G. is over 3 months, it's necessary to take the test again.(300NTD extra fee for E.K.G.)
	12. Urea Breath Test (UBT)	To detect H.pylori infection.	1,500	1. Patients of chronic gastritis ,indigestion, or peptic ulcer 2. Check for H.P relapse after a course of therapy ※People who have gastric bleedingor having gastric acid inhibitors, shoule postpone this examination.

" * " Indicate this item is not allow to be discount
 Ther are limit number for optional item, please booking first.

	Item	Aim	Fee/NT\$	Targeted Patients
	13.Low-Residue Diet Pack	As a meal replacement for the day before. To provide appropriate colonoscopy preparation.	1,000	1. For those who wish to arrange colonoscopy but do not have enough time for low fiber diet preparation.
Female Screening	14. Breast Ultrasound	To evaluate if there is tumor or cystic fibroadenoma of the breast.	2,000	1. Palpable breast mass 2. Family history of breast cancer 3. Abnormal findings in mammography 4. Breast cancer screening
	15. Breast X-ray (For female at age over 40)	To evaluate if there is any pathological changes in the breast	2,200	1. Female, over 40 2. Palpable breast mass 3. Family history of breast cancer 4. Abnormal breast sonography 5. Breast cancer screening
	16. 3D mammography	With this technology, multiple breast images can be captured from various angles in just one shot. The rendering of breast tissue is created more clearly and fully, thus improving the tumor detection rate for women with dense breast tissue. Abnormal shadows representing early-stage cancerous lesions can be detected while the microcalcification of the cancer in situ are recognized.	4,000	1. Female, over 40 2. Palpable breast mass 3. Family history of breast cancer 4. Abnormal breast sonography 5. Breast cancer screening
	17.*Human Papilloma Virus (HPV)Exam for Assessment of Cervical Cancer	Cervical Cancer has been highly linked to a virus known as human papilloma virus (HPV). An exam for HPV will assess risk for cervical cancer. It can complement the lack of pap smear.	1,200 (Not including pap smear test fee)	1. Sexually active individuals 2. Previous finding of inflammation on pap smear 3. History of HPV(+) 4. Family history of uterine/cervical cancer.
	18. Liquid-based Pap Testing *	Uses special instruments to increase the accuracy of cervical cancer detection.	1,500	1. Sexually active individuals 2. Previous finding of inflammation on pap smear 3. Family history of cervical cancer 4. History of HPV(+)
	19. HPV Genotyping + SurePath Liquid-based Pap smear *	The test can detect more than 10 HPV genotypes. Can increase the screening rate with SurePath Liquid-based Pap smear.	3,000	1. Sexually active individuals 2. Previous finding of inflammation on pap smear 3. History of HPV(+) 4. Family history of uterine/cervical cancer.
Urinary System Screening	20.Transrectal ultrasonography of prostate	TRUS is used to measure the benign prostatic hypertrophy and tumor staging.	1,500	1. Male age over 40 2. Family history of BPH or prostate cancer 3. Person who has symptoms for nocturia frequent, hesitancy, small caliber stream, incomplete urine voiding, micturition pain ,intermittent hematuria or hematospermia
	21.Scrotal sonography	1. Acute orchitis, testicular torsion, testicular tumor, etc. 2. Epididymitis, epididymal cyst. 3. Hydrocele or hernia. 4. Varicocele, spermatocele, vasitis or foreign body. Ultrasonography would be helpful in differential diagnosis of scrotal lesions.	1500	1. Erythematous change, scrotal pain or heavy sensation. 2. Scrotal or inguinal mass. 3. A soft mass which is like "a bag of worm" within scrotum. 4. Dull pain in suprapubic or inguinal area.
	22.Uroflowmetry	1. Evaluates urine voiding pattern. 2. Demonstrates bladder-outlet obstruction	800	Person who has symptoms for frequency nocturia, urgency, hesitancy, small caliber stream, intermittent or sensation of incomplete urine voiding. Both for male and female.
Medical Imaging	23. Lung CT Scan Imaging *	A non-invasive approach for lung cancer. It is possible to demonstrate the anatomical images of lungs thus facilitating the detection and follow-up investigation of lung cancers	6,000	1. Family history of lung cancer. 2. Long-term smoker 3. Expose to soot or dust in work for long time. 4. Cough or sputum with blood frequently. 5. Abnormal findings in X-ray. 6. Patient with previous tuberculosis infection
	24. Tumor Cancer MRI*	Includes MRI examination for eight major areas: head, neck, chest, upper abdominal, pelvic cavity, cervical vertebra, thoracic vertebra, and lumbar vertebra (one scanned image per 0.5-1.0 centimeter).	36000 (including barium contrast material fee)	1. People above 40 who have never done an MRI examination. 2. Family history of cancer. 3. People who habitually smoke, drink alcohol, and/or eat betel nuts. 4. Hepatitis B and C carriers. 5. People with abnormal examination results previously.

" * " Indicate this item is not allow to be discount
 Ther are limit number for optional item, please booking first.

	Item	Aim	Fee/NT\$	Targeted Patients
	25.Tumor Cancer MRI + Cerebrovascular MRI*	Using MRI, a medical imaging technique to examine 8 major body parts and cerebral vessels to check for signs of tumor, cancers and to rule out brain diseases.	54000 (including barium contrast material fee)	Please see Item 5 and 22 for details.
Additional Screening	26. Physical and Mental Evaluation	Can analyze your present stress condition and find ways to relieve your pressure.	600	Age over 20 years who can read and write Chinese.
	27.Autonomic nervous system analysis	To evaluate the autonomic nervous system, organ dysfunction and aging of your body.	1,500	People who are under high pressure and have sleeping problem, feel depressed, or exhausted.
	28. Nasopharyngeal Endoscopy	To check the nasal cavity, nasopharynx and larynx for tumor.	1,200	1. Family history of nasopharyngeal CA 2. Strong gag reflex 3. Frequent nasal bleeding 4. Unilateral Sense of aural fullness 5. Lump(s) in the neck
	29. Thyroid Sonography	For detection of goiter, thyroid cancer, thyroiditis, and assessment of thyroid nodule	1,500	1. Suspicion of thyroid disease 2. Hypofunction of thyroid. 3. Patients with thyroid nodule 4. Suspect of Goiter
	30.AmCAD-UT@ Detection	This is a noninvasive examination using computer-assisted detection technologies to analyze and assess your nodule(s) for presence of suspicious sonographic features, such as micro-calcifications, hypochoic, blurred margins, etc. The analysis results can help make recommendation for aspiration cytology and follow-up medical procedures.	2,500	1. For people with thyroid nodules diagnosed by thyroid sonography 2. For people with thyroid nodules want to evaluate the characteristics of the thyroid nodules
	31. Bone Mineral Density BMD: measures the BMD at 2 regions of the body (lumbar spine and pelvic joint) CTx: measure bone resorption	To evaluate the statistic and dynamic aspects of bone mineral density over the lumbar and pelvic regions	2,500	1. Near menopause women 2. Positive history of osteopenia 3. Coffee lover and without regular exercise 4. Age over 25 and without previous BMD exam 5. Underweight
	32.IMR AD Test	Alzheimer's disease (AD) is highly correlated with the accumulation of A-42 and Tau proteins in brains. The A-42 and Tau proteins in blood now could be detected by immuno-magnetic reduction (IMR) with extremely high sensitivity. The test result would be a good reference for brain health management, MCI and early-AD screening.	15,000	1.Those who concerns brain health. 2.Those who is older than 45 years old, under high stress and bad quality of sleep. 3.Those who have high risk factors of AD, such as head trauma, high blood pressure, hyperlipidemia, hyperglycemia, long-term smokers, lack of interpersonal interactions in lonely life, depression, and dementia patients in the family.

Remarks:

1. The schedule and fee may be changed from time to time by Lianan Wellness Center without prior notice. Please call to reconfirm during your booking.
2. All screening of medical imaging are cooperate with the medical imaging center.
3. If there should be any question, you can obtain related information from our website or call to contact us.

Linana Wellness Center

B2, No.16, Sec.4, Nanjing E. Rd., Songshan District, Taipei City, Taiwan (R.O.C.)
 Tel: : (02)2570-2155 Ext.2 Fax : (02)2712-8050 Website : www.lianan.com.tw E-mail : service@lianan.com.tw